

DIMENSIONS AND WEIGHT

Overall Length	530mm (20.9 in)
Overall Width	320mm (12.6 in)
Overall Height	430mm (16.9 in)
Dry Weight	24kg (52.9 lbs)

ENGINE

Type		4-stroke gasoline OHV
Cooling System		Forced air
Cylinder Arrangement		Inclined, single cylinder
Displacement		79cm ³
Bore×Stroke		48.6mm×43.0mm (1.91 in×1.69 in)
Engine Speed		3000~5000rpm (with ECO ON)
Operation Hours		4.2Hr@rated load
		10.5Hr@1/4 rated load
Fuel		Unleaded gasoline
Fuel Tank Capacity		4.2L (1.11 US gal)
Engine Oil Capacity		0.4L (0.42 US qt)
Ignition System		CDI
Spark Plug	Type	A5RTC (TORCH)
	Gap	0.6~0.7mm (0.024~0.028in)
Noise Level @ From 7m by ISO3744		50~60dBA

GENERATOR

AC Output	Rated Voltage	120/230V
	Rated Frequency	60/50Hz
	Rated Current	15/7.8A
	Rated Output	1.8kVA
	Maximum Output	2.1kVA
	Safety Device Type	Electronic
DC Output	Rated Voltage	12V
	Rated Current	8A
	USB	5V/2A/1A
	Safety Device Type	DC Protector

Advantage:

Extremely Portable



Wheels: big rubber wheels allow for smooth and easy transport
Handle: side drawbar handle makes it extremely portable

Very Quite



50-60dB with 7m far away. You will have no problem hearing conversations around the tailgate and campfire

Pure Sine Wave



The smooth current that runs through the unit provides power without damaging your sensitive electronics

Remote Control



With our APP, you can control and monitor the machine in real time. You can do the trouble shooting and stop the running by touching buttons on smartphone

Safe for Transport



With the unique fuel system design, you can put down the machine when transport. No need to worry about fuel leaking.

Warranty :

This product comes with 2 year limited warranty from the date of purchase, providing parts for replacement. Individual parts replaced at any point during the warranty period are only eligible for warranty coverage for the balance of the original warranty period.

1. Ordinary wear, defects caused by improper maintenance or lack of maintenance, user's mistakes, abuse and misuse are not covered by the warranty.
2. The warranty is only valid when the maintenance is carried out regularly according to the user manual. Compensation resulting from waste of time, commercial losses, subsequential damage or costs for the renting of a replacement genset are never covered by the warranty.

